

# Disposable 3g TOP G

Sample ID: 2604AFL0683.2317  
Strain: Rich Boy Runtz  
Matrix: Concentrates & Extracts  
Type: Other  
Unit Weight: 3 g

Internal Lab ID: ATL-36188  
Received: 04/29/2026  
Completed: 05/14/2026  
Batch#: 1KRBR1

Client  
**Kastle Solutions Inc**  
Lic. #  
1825 NE 163rd St, North Miami Beach, FL  
33162



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/29/2026	Complete
Residual Solvents	05/12/2026	Pass
Microbials	05/08/2026	Pass
Mycotoxins	05/14/2026	Pass
Pesticides	05/14/2026	Pass
Heavy Metals	05/12/2026	Pass
Foreign Matter	05/08/2026	Pass

## Basic Potency

Complete

<b>ND</b> Total THC	<b>ND</b> Total CBD	<b>91.327%</b> Total Cannabinoids
------------------------	------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.020	ND	ND	9S-HHC	0.009	0.027	24.723	741.69
CBDV	0.007	0.021	ND	ND	9R-HHC	0.009	0.027	58.476	1754.28
CBDa	0.007	0.020	ND	ND	Δ9-THCH	0.007	0.022	ND	ND
CBGa	0.007	0.020	ND	ND	Δ8-THCH	0.007	0.022	ND	ND
CBG	0.007	0.021	ND	ND	Δ9-THCP	0.007	0.020	8.128	243.84
CBD	0.007	0.021	ND	ND	Δ8-THCP	0.007	0.022	ND	ND
THCV	0.007	0.021	ND	ND	Δ8-THCO	0.007	0.020	ND	ND
Δ8-THCV	0.007	0.022	ND	ND	Δ9-THCO	0.007	0.020	ND	ND
THCVa	0.007	0.020	ND	ND	9(S)-HHCP	0.007	0.022	ND	ND
CBN	0.007	0.021	ND	ND	9(R)-HHCP	0.007	0.022	ND	ND
Δ9-THC	0.007	0.021	ND	ND	11-Hydroxy-THC	0.007	0.022	ND	ND
Δ8-THC	0.007	0.021	ND	ND	1(S)-H4-CBD	0.008	0.023	ND	ND
(6aR,9S)-d10-THC	0.008	0.023	ND	ND	1(R)-H4-CBD	0.008	0.023	ND	ND
(6aR,9R)-d10-THC	0.008	0.023	ND	ND	Δ9-THCB	0.007	0.021	ND	ND
CBC	0.007	0.021	ND	ND	Δ8-THCB	0.007	0.022	ND	ND
CBCa	0.007	0.020	ND	ND	CBDp	0.008	0.023	ND	ND
THCa	0.007	0.020	ND	ND	<b>Total</b>			<b>91.327</b>	<b>2739.81</b>

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2  
Date Tested: 04/29/2026  
Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA), Potency via HPLC

<b>NT</b> Not Tested Document ID: Moisture Content	<b>NT</b> Not Tested Document ID: Water Activity	<b>Pass</b> Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3 Foreign Matter
---	---	--



*Lise Berthe-Laurent*  
Lise Berthe-Laurent  
Laboratory Director  
05/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



# Disposable 3g TOP G

Sample ID: 2604AFL0683.2317

Internal Lab ID: ATL-36188

Client

Strain: Rich Boy Runtz

Kastle Solutions Inc

Matrix: Concentrates & Extracts

Received: 04/29/2026

Lic. #

Type: Other

Completed: 05/14/2026

1825 NE 163rd St, North Miami Beach, FL  
33162

Unit Weight: 3 g

Batch#: 1KRBR1

## Pesticides

Pass

Analyte	LOD PPB	LOQ PPB	Limit PPB	Result Status	Analyte	LOD PPB	LOQ PPB	Limit PPB	Result Status
Abamectin			100	ND Pass	Fludioxonil			100	ND Pass
Acephate			100	ND Pass	Hexythiazox			100	ND Pass
Acequinocyl			100	ND Pass	Imazalil			100	ND Pass
Acetamiprid			100	ND Pass	Imidacloprid			400	ND Pass
Aldicarb			100	ND Pass	Kresoxim Methyl			100	ND Pass
Azoxystrobin			100	ND Pass	Malathion			200	ND Pass
Bifenazate			100	ND Pass	Metalaxyl			100	ND Pass
Bifenthrin			100	ND Pass	Methiocarb			100	ND Pass
Boscalid			100	ND Pass	Methomyl			100	ND Pass
Captan			700	ND Pass	Mevinphos			100	ND Pass
Carbaryl			500	ND Pass	Myclobutanil			0	ND Pass
Carbofuran			100	ND Pass	Naled			250	ND Pass
Chlorantraniliprole			1000	ND Pass	Oxamyl			500	ND Pass
Chlordane			100	ND Pass	Paclobutrazol			100	ND Pass
Chlorfenapyr			100	ND Pass	Parathion Methyl			100	ND Pass
Chlormequat Chloride			1000	ND Pass	Pentachloronitrobenzene			150	ND Pass
Chlorpyrifos			100	ND Pass	Permethrin			100	ND Pass
Clofentezine			200	ND Pass	Phosmet			100	ND Pass
Coumaphos			100	ND Pass	Piperonyl Butoxide			3000	ND Pass
Cyfluthrin			500	ND Pass	Prallethrin			100	ND Pass
Cypermethrin			500	ND Pass	Propiconazole			100	ND Pass
Daminozide			100	ND Pass	Propoxur			100	ND Pass
Diazinon			100	ND Pass	Pyrethrins			500	ND Pass
Dichlorvos			100	ND Pass	Pyridaben			200	ND Pass
Dimethoate			100	ND Pass	Spinetoram			200	ND Pass
Dimethomorph			200	ND Pass	Spinosad			100	ND Pass
Ethoprophos			100	ND Pass	Spiromesifen			100	ND Pass
Etofenprox			100	ND Pass	Spirotetramat			100	ND Pass
Etoxazole			100	ND Pass	Spiroxamine			100	ND Pass
Fenhexamid			100	ND Pass	Tebuconazole			100	ND Pass
Fenoxycarb			100	ND Pass	Thiacloprid			100	ND Pass
Fenpyroximate			100	ND Pass	Thiamethoxam			500	ND Pass
Fipronil			100	ND Pass	Trifloxystrobin			100	ND Pass
Fonicamid			100	ND Pass					

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1  
Date Tested: 05/14/2026  
Pesticide via LC-MS/MS and GC-MS/MS



*Lise Berthe-Laurent*  
Lise Berthe-Laurent  
Laboratory Director  
05/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## Disposable 3g TOP G

Sample ID: 2604AFL0683.2317  
Strain: Rich Boy Runtz  
Matrix: Concentrates & Extracts  
Type: Other  
Unit Weight: 3 g

Internal Lab ID: ATL-36188  
Received: 04/29/2026  
Completed: 05/14/2026  
Batch#: 1KRBR1

Client  
**Kastle Solutions Inc**  
Lic. #  
1825 NE 163rd St, North Miami Beach, FL  
33162

### Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2  
Date Tested: 05/08/2026

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1  
Date Tested: 05/14/2026

### Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3  
Date Tested: 05/08/2026



Lise Berthe-Laurent  
Laboratory Director  
05/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## Disposable 3g TOP G

Sample ID: 2604AFL0683.2317

Internal Lab ID: ATL-36188

Client

Strain: Rich Boy Runtz

Kastle Solutions Inc

Matrix: Concentrates & Extracts

Received: 04/29/2026

Lic. #

Type: Other

Completed: 05/14/2026

1825 NE 163rd St, North Miami Beach, FL 33162

Unit Weight: 3 g

Batch#: 1KRBR1

### Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene	0.615	1.846	8	ND	Pass	n-Heptane	0.615	1.846	5000	<1.846	Pass
1,2-Dichloroethane	0.615	1.846	2	ND	Pass	Isobutane	0.618	1.855		ND	Tested
1,4-Dioxane	0.615	1.846		ND	Tested	Isopentane	0.205	0.615		ND	Tested
2,2-Dimethylbutane	0.123	0.369		ND	Tested	Isopropanol	9.049	27.146	500	ND	Pass
2,3-Dimethylbutane	0.123	0.369		ND	Tested	Isopropyl Acetate	0.615	1.846		ND	Tested
2-Butanol	0.615	1.846		ND	Tested	m-Xylene + p-Xylene	0.308	0.923		ND	Tested
2-Ethoxyethanol	1.230	3.691		ND	Tested	Methanol	6.146	18.437	250	ND	Pass
2-Methylpentane	0.123	0.369		ND	Tested	Methylene Chloride	0.615	1.846	125	ND	Pass
3-Methylpentane	0.123	0.369		ND	Tested	n-Butane	0.308	0.924		ND	Tested
Acetone	0.615	1.846	750	ND	Pass	n-Hexane	0.123	0.369		ND	Tested
Acetonitrile	6.114	18.343	60	ND	Pass	n-Pentane	0.205	0.615		ND	Tested
Benzene	0.006	0.018	1	ND	Pass	Neopentane	0.204	0.613		ND	Tested
Chloroform	0.025	0.074	2	ND	Pass	o-Xylene	0.154	0.461		ND	Tested
Cumene	0.615	1.846		ND	Tested	Propane	2.478	7.435	5000	ND	Pass
Cyclohexane	0.615	1.846		ND	Tested	Tetrahydrofuran	0.615	1.846		ND	Tested
Ethanol	12.735	38.204	5000	ND	Pass	Toluene	0.749	2.248	150	ND	Pass
Ethyl Acetate	3.501	10.504	400	ND	Pass	Trichloroethene	0.615	1.846	25	ND	Pass
Ethylbenzene	0.154	0.461		ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether	0.615	1.846	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol	19.687	59.061		ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide	0.617	1.852	5	ND	Pass	Xylenes	4.000	12.000	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3  
Date Tested: 05/12/2026  
Residual Solvents via HS-GC-MS

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	16.134	48.403	200	ND	Pass
Cadmium	16.134	48.403	200	ND	Pass
Lead	16.134	48.403	500	ND	Pass
Mercury	16.134	48.403	200	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9  
Date Tested: 05/12/2026



Lise Berthe-Laurent  
Laboratory Director  
05/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.