

Gummies Watermelon

Sample ID: 2606AFL0969.3493

Internal Lab ID: ATL-37313

Client

Strain: D8- D9

Top G

Matrix: Ingestible

Received: 06/19/2026

Lic. #

Type: Other

Completed: 08/04/2026

1825 B NE 163 St,
North Miami Beach, Miami, FL 33162

Unit Weight: 5.0949 g

Batch#: K4F5W1



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	06/22/2026	Complete

Basic Potency - HPLC

Complete

0.270% Total THC	ND Total CBD	2.213% Total Cannabinoids
----------------------------	------------------------	-------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.006	0.017	ND	ND	CBN	0.006	0.017	ND	ND
CBDV	0.006	0.017	ND	ND	Δ 9-THC	0.006	0.017	0.270	13.76
CBDa	0.006	0.017	ND	ND	Δ 8-THC	0.006	0.017	1.943	98.99
CBGa	0.006	0.017	ND	ND	(6aR,9S)-d10-THC	0.006	0.018	ND	ND
CBG	0.006	0.017	ND	ND	(6aR,9R)-d10-THC	0.006	0.019	ND	ND
CBD	0.006	0.017	ND	ND	CBC	0.006	0.017	ND	ND
THCV	0.006	0.017	ND	ND	CBCa	0.006	0.017	ND	ND
Δ 8-THCV	0.006	0.018	ND	ND	THCa	0.006	0.017	ND	ND
THCVa	0.006	0.017	ND	ND	Total			2.213	112.75

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 06/22/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---




Lise Berthe-Laurent
Laboratory Director
08/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.